

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of December 31, 2003  
Warren County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	15	15	0	.	15	15
AIDS-CD4 Only	33	34	0	.	33	34
HIV Only	49	51	0	.	49	51
-----	-----	---	-----	---	-----	---
Total	97	100	0	.	97	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	70	72	0	.	70	72
5-12	0	0	Black, Not Hispanic	15	15	0	.	15	15
13-19	0	0	Hispanic	10	10	0	.	10	10
20-29	6	6	Other/Unknown	#	#	0	.	#	#
30-39	29	30	-----	-----	---	-----	---	-----	---
40-49	40	41	Total	97	100	0	.	97	100
50+	22	23							
Unk.	0	0							
-----	-----	---							
Total	97	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	20	30	0	0	20	21
Injection drug user (IDU)	17	25	9	31	26	27
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	11	16	11	38	22	23
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	67	100	29	100	96	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	0	.	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	0	.	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of December 2003.

\*\* 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2003  
Warren County Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	#	( #)	#	( #)	35	( 32)
Other OI w/o PCP	#	( #)	#	( #)	#	( #)	#	( #)
KS Alone	#	( #)	#	( #)	0	( #)	#	( #)
No Disease Listed	41	( 39)	8	( 23)	0	( .)	41	( 38)
Total	106	(100)	58	( 60)	#	( #)	108	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	81	75
5-12	#	#	Black, Not Hispanic	#	#	#	#	15	14
13-19	#	#	Hispanic	10	9	0	0	10	9
20-29	12	11	Other/Unknown	#	#	0	0	#	#
30-39	42	39							
40-49	37	34	Total	106	100	#	#	108	100
Over 49	14	13							
Unknown	0	0							
Total	108	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	31	38	0	0	31	30
Injection drug user (IDU)	21	26	9	38	30	29
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	17	21	9	38	26	25
Total	81	100	24	100	105	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2003  
Warren County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	#	#	#
1990	7	7	100%
1991	#	#	#
1992	8	5	63%
1993	12	7	58%
1994	11	7	64%
1995	7	#	#
1996	12	5	42%
1997	5	#	#
1998	#	#	#
1999	9	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
-----	-----	-----	-----
Total	108	60	56%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003  
Warren County Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		-----	---	-----	---	-----	---
Under 5	0	0	White, Not Hispanic	41	79	0	.	41	80
5-12	0	0	Black, Not Hispanic	7	13	0	.	7	14
13-19	#	#	Hispanic	#	#	0	.	#	#
20-29	14	27	Other/Unknown	#	#	0	.	#	#
30-39	21	40	-----	-----	---	-----	---	-----	---
40-49	12	23	Total	52	100	0	.	52	100
Over 49	#	#							
Unknown	0	0							
-----	-----	---							
Total	52	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	11	31	0	0	11	21
Injection drug user (IDU)	8	23	5	29	13	25
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	6	17	9	53	15	29
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	35	100	17	100	52	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having  
been HIV-infected as children. They are counted as adult/adolescent  
reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of  
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated  
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS  
that have subsequently been updated to AIDS. Also not included in these tables are  
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed  
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been  
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2003  
Warren County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	#	#	#	#	67	42
AIDS-CD4 Only	#	#	#	#	41	26
HIV Only	52	33	0	0	52	33
Total	157	100	#	#	160	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	122	76
5-12	#	#	Black, Not Hispanic	#	#	#	#	22	14
13-19	#	#	Hispanic	#	#	#	#	13	8
20-29	27	17	Other/Unknown	#	#	#	#	#	#
30-39	66	41							
40-49	45	28	Total	157	100	#	#	160	100
Over 49	17	11							
Unknown	0	0							
Total	160	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	42	36	0	0	42	27
Injection drug user (IDU)	29	25	14	34	43	27
MSM/IDU	5	4	0	0	5	3
Heterosexual contact	14	12	15	37	29	18
Risk not reported/other***	26	22	12	29	38	24
Total	116	100	41	100	157	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2003  
Warren County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	6	#	#
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	6	5	83%
1990	10	7	70%
1991	8	#	#
1992	10	8	80%
1993	16	8	50%
1994	15	6	40%
1995	6	#	#
1996	18	6	33%
1997	5	0	0%
1998	12	#	#
1999	12	#	#
2000	9	#	#
2001	7	0	0%
2002	5	0	0%
2003	#	#	#
-----	-----	-----	-----
Total	160	63	39%